

| L Number | Hits | Search Text | DB | Time stamp |
|----------|-------|---|-------|------------------|
| 1 | 16972 | ((encrypt\$4 OR encipher\$4 OR encypher\$4 OR scrambl\$4 OR decrypt\$4 OR decipher\$4 OR decypher\$4 OR descrambl\$4 OR unscrambl\$4) WITH (communication\$1 OR transmission\$1 OR broadcast\$1 OR text\$1 OR ciphertext\$1 OR message\$1 OR file\$1 OR mail\$1 OR email\$1 OR input\$1 OR program\$1 OR content\$1)) | USPAT | 2004/09/06 21:12 |
| 2 | 4478 | ((((encrypt\$4 OR encipher\$4 OR encypher\$4 OR scrambl\$4 OR decrypt\$4 OR decipher\$4 OR decypher\$4 OR descrambl\$4 OR unscrambl\$4) WITH (communication\$1 OR transmission\$1 OR broadcast\$1 OR text\$1 OR ciphertext\$1 OR message\$1 OR file\$1 OR mail\$1 OR email\$1 OR input\$1 OR program\$1 OR content\$1))) AND ((stor\$4 OR memor\$4 OR database\$1 OR repositor\$3 OR archiv\$2) NEAR4 (key\$1)) | USPAT | 2004/09/06 21:13 |
| 3 | 2325 | (((((encrypt\$4 OR encipher\$4 OR encypher\$4 OR scrambl\$4 OR decrypt\$4 OR decipher\$4 OR decypher\$4 OR descrambl\$4 OR unscrambl\$4) WITH (communication\$1 OR transmission\$1 OR broadcast\$1 OR text\$1 OR ciphertext\$1 OR message\$1 OR file\$1 OR mail\$1 OR email\$1 OR input\$1 OR program\$1 OR content\$1))) AND ((stor\$4 OR memor\$4 OR database\$1 OR repositor\$3 OR archiv\$2) NEAR4 (key\$1)) AND ((suppl\$5 OR provid\$4 OR obtain\$4 OR receiv\$4 OR send\$4 OR retriev\$4) WITH key\$1 WITH (decrypt\$4 OR decipher\$4 OR decypher\$4 OR descrambl\$4 OR unscrambl\$4)) | USPAT | 2004/09/06 21:14 |

| | | | | |
|---|-----|---|-------|------------------|
| 4 | 765 | ((((encrypt\$4 OR encipher\$4 OR encypher\$4 OR scrambl\$4 OR decrypt\$4 OR decipher\$4 OR decypher\$4 OR descrambl\$4 OR unscrambl\$4) WITH (communication\$1 OR transmission\$1 OR broadcast\$1 OR text\$1 OR ciphertext\$1 OR message\$1 OR file\$1 OR mail\$1 OR email\$1 OR input\$1 OR program\$1 OR content\$1))) AND ((stor\$4 OR memor\$4 OR database\$1 OR repositor\$3 OR archiv\$2) NEAR4 (key\$1))) AND ((suppl\$5 OR provid\$4 OR obtain\$4 OR receiv\$4 OR send\$4 OR retriev\$4) WITH key\$1 WITH (decrypt\$4 OR decipher\$4 OR decypher\$4 OR descrambl\$4 OR unscrambl\$4))) AND ((check\$4 OR valid\$6 OR verif\$6 OR decrypt\$4 OR decipher\$4 OR decypher\$4) WITH signature\$1) | USPAT | 2004/09/06 21:17 |
|---|-----|---|-------|------------------|

| | | | | |
|---|-------|--|----------------------|------------------|
| 5 | 74 | <p>(((((encrypt\$4 OR encipher\$4 OR encypher\$4 OR scrambl\$4 OR decrypt\$4 OR decipher\$4 OR decypher\$4 OR descrambl\$4 OR unscrambl\$4)</p> <p>WITH</p> <p>(communication\$1 OR transmission\$1 OR broadcast\$1 OR text\$1 OR ciphertext\$1 OR message\$1 OR file\$1 OR mail\$1 OR email\$1 OR input\$1 OR program\$1 OR content\$1))</p> <p>) AND ((stor\$4 OR memor\$4 OR database\$1 OR repositor\$3 OR archiv\$2) NEAR4</p> <p>(key\$1)</p> <p>)) AND ((suppl\$5 OR provid\$4 OR obtain\$4 OR receiv\$4 OR send\$4 OR retriev\$4) WITH key\$1</p> <p>WITH</p> <p>(decrypt\$4 OR decipher\$4 OR decypher\$4 OR descrambl\$4 OR unscrambl\$4)</p> <p>)) AND ((check\$4 OR valid\$6 OR verif\$6 OR decrypt\$4 OR decipher\$4 OR decypher\$4) WITH signature\$1</p> <p>)) AND ((time\$4 OR period\$5 OR continual\$2 OR schedul\$4) NEAR5 (access\$4 OR privilege\$2 OR autoriz\$6 OR permi\$7)</p> <p>NEAR5 (stor\$4 OR memor\$4 OR database\$1 OR repositor\$3 OR archiv\$2)</p> | USPAT | 2004/09/06 21:33 |
| 6 | 17241 | <p>((encrypt\$4 OR encipher\$4 OR encypher\$4 OR scrambl\$4 OR decrypt\$4 OR decipher\$4 OR decypher\$4 OR descrambl\$4 OR unscrambl\$4)</p> <p>WITH</p> <p>(communication\$1 OR transmission\$1 OR broadcast\$1 OR text\$1 OR ciphertext\$1 OR message\$1 OR file\$1 OR mail\$1 OR email\$1 OR input\$1 OR program\$1 OR content\$1))</p> | EPO; JPO; DERWENT | 2004/09/06 21:33 |

| L Number | Hits | Search Text | DB | Time stamp |
|----------|-------|--|----------------------|------------------|
| 6 | 17241 | ((encrypt\$4 OR encipher\$4 OR encypher\$4 OR scrambl\$4 OR decrypt\$4 OR decipher\$4 OR decypher\$4 OR descrambl\$4 OR unscrambl\$4) WITH (communication\$1 OR transmission\$1 OR broadcast\$1 OR text\$1 OR ciphertext\$1 OR message\$1 OR file\$1 OR mail\$1 OR email\$1 OR input\$1 OR program\$1 OR content\$1)) | EPO; JPO; DERWENT | 2004/09/06 21:33 |
| 7 | 3379 | ((((encrypt\$4 OR encipher\$4 OR encypher\$4 OR scrambl\$4 OR decrypt\$4 OR decipher\$4 OR decypher\$4 OR descrambl\$4 OR unscrambl\$4) WITH (communication\$1 OR transmission\$1 OR broadcast\$1 OR text\$1 OR ciphertext\$1 OR message\$1 OR file\$1 OR mail\$1 OR email\$1 OR input\$1 OR program\$1 OR content\$1))) AND (@pd<19931203)) | EPO; JPO; DERWENT | 2004/09/06 21:35 |
| 8 | 283 | (((((encrypt\$4 OR encipher\$4 OR encypher\$4 OR scrambl\$4 OR decrypt\$4 OR decipher\$4 OR decypher\$4 OR descrambl\$4 OR unscrambl\$4) WITH (communication\$1 OR transmission\$1 OR broadcast\$1 OR text\$1 OR ciphertext\$1 OR message\$1 OR file\$1 OR mail\$1 OR email\$1 OR input\$1 OR program\$1 OR content\$1))) AND (@pd<19931203)) AND ((stor\$4 OR memor\$4 OR database\$1 OR repositor\$3 OR archiv\$2) NEAR4 (key\$1)) | EPO; JPO; DERWENT | 2004/09/06 21:36 |
| 9 | 194 | (((((encrypt\$4 OR encipher\$4 OR encypher\$4 OR scrambl\$4 OR decrypt\$4 OR decipher\$4 OR decypher\$4 OR descrambl\$4 OR unscrambl\$4) WITH (communication\$1 OR transmission\$1 OR broadcast\$1 OR text\$1 OR ciphertext\$1 OR message\$1 OR file\$1 OR mail\$1 OR email\$1 OR input\$1 OR program\$1 OR content\$1))) AND (@pd<19931203)) AND ((suppl\$5 OR provid\$4 OR obtain\$4 OR receiv\$4 OR send\$4 OR retriev\$4) WITH key\$1 WITH (decrypt\$4 OR decipher\$4 OR decypher\$4 OR descrambl\$4 OR unscrambl\$4)) | EPO; JPO; DERWENT | 2004/09/06 21:36 |

| | | | | |
|----|----|---|-------------------|------------------|
| 10 | 72 | <p>(((((encrypt\$4 OR encipher\$4 OR encypher\$4 OR scrambl\$4 OR decrypt\$4 OR decipher\$4 OR decypher\$4 OR descrambl\$4 OR unscrambl\$4)</p> <p>WITH</p> <p>(communication\$1 OR transmission\$1 OR broadcast\$1 OR text\$1 OR ciphertext\$1 OR message\$1 OR file\$1 OR mail\$1 OR email\$1 OR input\$1 OR program\$1 OR content\$1))</p> <p>) AND (@pd<19931203)) AND ((stor\$4 OR memor\$4 OR database\$1 OR repositor\$3 OR archiv\$2) NEAR4</p> <p>(key\$1))) AND ((suppl\$5 OR provid\$4 OR obtain\$4 OR receiv\$4 OR send\$4 OR retriev\$4) WITH key\$1</p> <p>WITH</p> <p>(decrypt\$4 OR decipher\$4 OR decypher\$4 OR descrambl\$4 OR unscrambl\$4)</p> | EPO; JPO; DERWENT | 2004/09/06 21:37 |
| 11 | 0 | <p>(((((encrypt\$4 OR encipher\$4 OR encypher\$4 OR scrambl\$4 OR decrypt\$4 OR decipher\$4 OR decypher\$4 OR descrambl\$4 OR unscrambl\$4)</p> <p>WITH</p> <p>(communication\$1 OR transmission\$1 OR broadcast\$1 OR text\$1 OR ciphertext\$1 OR message\$1 OR file\$1 OR mail\$1 OR email\$1 OR input\$1 OR program\$1 OR content\$1))</p> <p>) AND (@pd<19931203)) AND ((suppl\$5 OR provid\$4 OR obtain\$4 OR receiv\$4 OR send\$4 OR retriev\$4) WITH key\$1</p> <p>WITH</p> <p>(decrypt\$4 OR decipher\$4 OR decypher\$4 OR descrambl\$4 OR unscrambl\$4)</p> <p>)) AND ((time\$4 OR period\$5 OR continual\$2 OR schedul\$4) NEAR5 (access\$4 OR privilege\$2 OR autoriz\$6 OR permi\$7)</p> <p>NEAR5 (stor\$4 OR memor\$4 OR database\$1 OR repositor\$3 OR archiv\$2)</p> <p>)</p> | EPO; JPO; DERWENT | 2004/09/06 21:37 |

| | | | | |
|----|---|--|-------------------|------------------|
| 12 | 0 | <p>(((((encrypt\$4 OR encipher\$4 OR encypher\$4 OR scrambl\$4 OR decrypt\$4 OR decipher\$4 OR decypher\$4 OR descrambl\$4 OR unscrambl\$4)</p> <p>WITH</p> <p>(communication\$1 OR transmission\$1 OR broadcast\$1 OR text\$1 OR ciphertext\$1 OR message\$1 OR file\$1 OR mail\$1 OR email\$1 OR input\$1 OR program\$1 OR content\$1)) AND (@pd<19931203)) AND ((stor\$4 OR memor\$4 OR database\$1 OR repositor\$3 OR archiv\$2) NEAR4</p> <p>(key\$1))) AND ((suppl\$5 OR provid\$4 OR obtain\$4 OR receiv\$4 OR send\$4 OR retriev\$4) WITH key\$1</p> <p>WITH</p> <p>(decrypt\$4 OR decipher\$4 OR decypher\$4 OR descrambl\$4 OR unscrambl\$4)) AND ((time\$4 OR period\$5 OR continual\$2 OR schedul\$4) NEAR5 (access\$4 OR privilege\$2 OR authoriz\$6 OR permi\$7)</p> <p>NEAR5 (stor\$4 OR memor\$4 OR database\$1 OR repositor\$3 OR archiv\$2)</p> | EPO; JPO; DERWENT | 2004/09/06 21:38 |
| 13 | 3 | <p>(((((encrypt\$4 OR encipher\$4 OR encypher\$4 OR scrambl\$4 OR decrypt\$4 OR decipher\$4 OR decypher\$4 OR descrambl\$4 OR unscrambl\$4)</p> <p>WITH</p> <p>(communication\$1 OR transmission\$1 OR broadcast\$1 OR text\$1 OR ciphertext\$1 OR message\$1 OR file\$1 OR mail\$1 OR email\$1 OR input\$1 OR program\$1 OR content\$1)) AND (@pd<19931203)) AND ((stor\$4 OR memor\$4 OR database\$1 OR repositor\$3 OR archiv\$2) NEAR4</p> <p>(key\$1))) AND ((suppl\$5 OR provid\$4 OR obtain\$4 OR receiv\$4 OR send\$4 OR retriev\$4) WITH key\$1</p> <p>WITH</p> <p>(decrypt\$4 OR decipher\$4 OR decypher\$4 OR descrambl\$4 OR unscrambl\$4)) AND ((check\$4 OR valid\$6 OR verif\$6 OR decrypt\$4 OR decipher\$4 OR decypher\$4) WITH signature\$1</p> <p>)</p> | EPO; JPO; DERWENT | 2004/09/06 21:38 |

Searching PAJ

[MENU](#)[NEWS](#)[HELP](#)

Search Results : 7

[Index Indication](#)[Clear](#)**Text Search**

If you want to conduct a Number Search, please click on
the button to the right.

[Number Search](#)**Applicant, Title of invention, Abstract** — e.g. computer semiconductor

If you use the AND/OR operation, please leave a SPACE between keywords.

One letter word or Stopwords are not searchable.

encrypt encipher encypher scramble

OR

AND

store memory database repository archive

OR

AND

timer periodic continual scheduled

OR

AND

Date of publication of application — e.g. 19980401 - 19980405

19800101

-

19931202

AND

IPC — e.g. D01B7/04 A01C11/02

If you use the OR operation, please leave a SPACE between keywords.

[Search](#)[Stored data](#)

Copyright (C); 1998,2003 Japan Patent Office